

# INDEX

## RUBBER CHEMISTRY AND TECHNOLOGY

### VOLUME 58, 1985

### AUTHOR INDEX\*

- ABELL, W. ROBERT, see WALLACE, JOHN G. (abstract), (4) 864
- ABU-ISA, ISMAT A., Abrasion of elastomers by small particle impacts (abstract), (4) 867
- and TREXLER, HAROLD E., Mechanism of degradation of fluorocarbon elastomers in engine oil, (2) 326
- ADHIKARI, B., see PAL, D., (4) 713
- AHAGON, ASAHIO, Oxidative aging of black-filled elastomers (abstract), (2) 452
- ANGST, JACK, Radial tire repairing (abstract), (1) 194
- ARNOLD, THOMAS R., Quality standard for purchased material (abstract), (2) 464
- ASTROTH, LOUIS E., see MCCULLOUGH, WILLIAM E. (abstract), (2) 460
- BADER, J. A., Compounding for hot cap retread truck tires (abstract), (1) 191
- BAKER, C. S. L., GELLING, I. R., and NEWELL, R., Epoxidized natural rubber, (1) 67
- , see BARNARD, D., (4) 740
- BARNARD, D., RAKER, C. S. L., and WALLACE, I. R., Natural rubber compounds for truck tires, (4) 740
- BARNES, JOHN and HANEY, JOE, Hose designs for the mining industry (abstract), (2) 452
- BARTMAN, B., see BEAULIEU, A. H. (abstract), (2) 450
- BATTS, H. J., Vendor quality rating and statistical process control (abstract), (2) 462
- BEAULIEU, A. H., BARTMAN, B., and SPARKS, W. J., Recent advances in acrylic hot-melt pressure-sensitive adhesive technology (abstract), (2) 450
- BERGOUDIAN, RUEBENS, A South American roofing overview (abstract), (2) 467
- BERKOWSKI, L., see KLEMPNER, DANIEL (abstract), (4) 863
- BHOWMICK, ANIL K., KUO, C. C., MANZUR, A., and MCINTYRE, DONALD, Properties of *cis*- and *trans*-polyisoprene blends (abstract), (1) 208
- BLACK, L. T., HAMERSTRAND, G. E., and KWOLEK, W. F., Analysis of rubber, resin, and moisture content of guayule by near infrared reflectance spectroscopy, (2) 304
- BLACKSHAW, G. C., see BURKEY, ROGER C. (abstract), (2) 454
- BLAYNE, JEROME J. and SIDLES, JAMES, A new approach to ventless molding of rubber goods (abstract), (1) 187
- BOEDECKER, RAY F., Total quality improvement approach (abstract), (2) 459
- BONFIGLIO, JAMES D., Adhesion trouble-shooting in molded rubber products (abstract), (1) 214
- BOOKS, JEFFREY T., Poly(fluoroalkoxyphosphazene) elastomers—performance profile (abstract), (4) 859
- BRAUNSTEIN, D. M., see MANCINELLI, P. A. (abstract), (2) 450
- BREIG, WILLIAM F., Finite element analysis of contact stress in synchronous belt teeth (abstract), (1) 219
- BRIZZOLARA, DONALD F., HYTREL polyester elastomer—high performance thermoplastic elastomers (abstract), (4) 865
- BROWN, W. A., see PATEL, ARVIND C. (abstract), (4) 858
- BROZE, G., see JEROME, R., (2) 225
- BROCK, D., KÖNIGSHOFEN, H., and RUETZ, L., The action of antiozonants in rubber, (4) 728

\* Prepared by Lois W. Brock

- BUDINSKI-SIMENDIĆ, JAROSLAVA, see PETROVIĆ, ZORAN S., (4) 685, 701
- BUNISH, STEVE, see WADE, ROBERT M. (abstract), (2) 453
- BURFORD, R. P., see PITTOLO, M., (1) 97
- BURKEY, ROGER C., BLACKSHAW, G. C., SCHWARZ, H. F., MELLEY, ROGER, and KERSHAW, D., Designing high-performance compounds for severe mining service conditions (abstract), (2) 454
- BYRNE, CATHERINE A., MACK, DANIEL P., and SLOAN, JAMES M., A study of aliphatic polyurethane elastomers prepared from diisocyanate isomer mixtures, (5) 985
- CAMPANY, ANDREW D., Design with elastomers for isolation and motion control (abstract), (1) 183
- CAMPBELL, JAMES H., see HENDERSON, JAMES L. (abstract), (1) 217
- CASSELL, ROBERT A., Compounding for precured truck treads in the retread industry (abstract), (1) 189
- CEMBROLA, R. J. and DUDEK, T. J., Cord/rubber material properties, (4) 830
- CHAPMAN, HARRY L., LUTZ, MICHAEL A., and POLMANTEER, KEITH E., Novel wet-process silica prepared from alkyl silicates. Part II. Performance in reinforcing silicone elastomers, (5) 953
- , see LUTZ, MICHAEL A., (5) 939
- , see POLMANTEER, KEITH E., (5) 976
- CHARRIER, J. M., GENT, ALAN N., PANGALOS, G., and WEBER, M. E., Single and multiple punctures in elastomeric sheets (abstract), (4) 868
- CHUNG, KI-HO, see WHITE, JAMES L. (abstract), (1) 185
- CLARK, S. K. and DODGE, R. N., Interaction of tire material and design, (2) 314
- CLASS, J. B., The effect of modifying resins on the viscoelastic properties of styrenic block copolymers, (5) 973
- COCHRANE, HECTOR and LIN, CHIU-SING, The effect of fumed silica in RTV-1 silicone rubber sealants (abstract), (4) 864
- COOPER, LLOYD C., Service requirements and future trends in truck tires (abstract), (2) 457
- COOPER, STUART L. and MILLER, JAMES, Chain conformation in elastomeric multiblock copolymers as measured by small-angle neutron scattering, (5) 899
- CORAN, A. Y., PATEL, R., and WILLIAMS-HEAD, D., Rubber-thermoplastic compositions. Part IX. Blends of dissimilar rubbers and plastics with technological compatibilization, (5) 1014
- , see MORITA, E., (2) 284
- COTTEN, GEORGE R., Mixing of carbon black with rubber. II. Mechanism of carbon black incorporation, (4) 774
- COZEWITH, C., see KRESGE, EDWARD N. (abstract), (1) 180
- CROSBY, JANE and TRAVIS, JACK, Conductive thermoplastic composites (abstract), (4) 871
- DAHLQUIST, CARL, An overview of adhesive technology (abstract), (2) 449
- DEL VECCHIO, R. J., KRAKOWSKI, F. J., and MCKENZIE, GEORGE T., Dynamic property variation and analysis in NBR (abstract), (4) 867
- DERRINGER, GEORGE C. and WATKINS, MICHAEL J., Testing elastomers in multicomponent aggressive environments (abstract), (4) 867
- , see WATKINS, MICHAEL J. (abstract), (4) 869
- DICK, JOHN S., Economic savings for users and producers through test method rationalization (abstract), (1) 198
- DIETRICK, MYRON I., see PETERSON, ALEX (abstract), (1) 216
- DODGE, R. N., see CLARK, S. K., (2) 314
- DRAKE, RONALD E. and LABRIOLA, JOHN M., Vulcanizable peptizer and process aid for natural, SBR, and polybutadiene rubber (abstract), (4) 861
- DUDEK, T. J., see CEMBROLA, R. J., (4) 830
- DUTTA, T., see PAL, D., (4) 713
- DUYNSTEE, E. F. J., see VAN DEN BERG, J. H. M., (1) 58
- DWIGHT, DAVID, LAWRENCE, NICK, and PATT, JACOB, Elastomer wear mechanisms; analysis of field failures and laboratory simulation (abstract), (4) 862

- ECKART, RICHARD W., Retreading in the future (abstract), (1) 188
- EICHINGER, B. E. and NEUBERGER, NEAL, The density of states for elastomers (abstract), (4) 857
- ELDRID, ROGER J., Plasticization by *in situ* grafted acrylates. II—Effect of graft structure, (1) 146
- ERWIN, IVAN A., Several uses of elastomers in mining—an overview (abstract), (2) 451
- FEINBERG, S. C., see MANCINELLI, P. A. (abstract), (2) 450
- FETTERMAN, MILES Q., Utilizing the unique properties of precipitated silica in the design of high-performance rubber (abstract), (1) 179
- FINKELSTEIN, MICHAEL M., Quality—changing perceptions from Washington (abstract), (2) 459
- FISHER, PEGGY J., Heavy-duty truck tires—line-haul performance requirements (abstract), (2) 455
- FITHIAN, L. E., EPDM waterproofing membrane—15 years later (abstract), (2) 466
- FONDREN, JERRY L., see MCCULLOUGH, WILLIAM E. (abstract), (2) 460
- FREAKLEY, P. K. and PATEL, S. R., Internal mixing: a practical investigation of the flow and temperature profiles during a mixing cycle, (4) 751
- FRENKIN, E. I., PODOLSKY, YU. YA., and VONOGRAOV, G. V., Thermal vulcanization of rubbers at high pressure, (1) 23
- FRISCH, K. C., see KLEMPNER, DANIEL (abstract), (4) 863
- FURUTA, M., see SHIGA, S., (1) 1
- GELLING, I. R., Modification of natural rubber latex with peracetic acid, (1) 86
- , and MORRISON, N. J., Sulfur vulcanization and oxidative aging of epoxidized natural rubber, (2) 243
- , see BAKER, C. S. L., (1) 67
- GENT, ALAN N., see CHARRIER, J. M. (abstract), (4) 868
- GERSTENMAIER, CHARLES P., The role of ASTM Committee D-24 in the rubber industry (abstract), (1) 199
- GERVASE, NICHOLAS J., Adhesive bonding of elastomer-modified plastics (abstract), (2) 449
- GIBBS, EVERETT H., JR. and SEBER, JOHN N., Trouble-shooting rubber-to-metal bonding problems in transfer molding (abstract), (1) 215
- GILLESPIE, THOMAS D., Tire and wheel nonuniformities: their impact on heavy truck ride (abstract), (2) 456
- GISH, BRIAN D., Carlisle's role in the development of laboratory test specifications for rubber membranes for agriculture, water distribution, and roofing (abstract), (2) 461
- GOZDUFF, MICHAEL, Factors relating to vulcanized splice reliability for steel cable reinforced conveyor belting (abstract), (1) 204
- GROSS, D., see KELM, J., (1) 37
- GROSSMAN, RICHARD F., Direct injection molding of rubber dry-blends (abstract), (4) 870
- GUPTA, H. K. and SALOVEY, R., Characterization of BAN copolymers, (2) 295
- HAGMAN, JOHN F., see WALLACE, JOHN G. (abstract), (4) 864
- HAMED, G. R. and SHIEH, C. -H., Relationship between the cohesive strength and tack of elastomers: Part II. Contact time effects, (5) 1038
- , and SONG, J. H., Anisotropy induced in an uncrosslinked elastomer *via* large strain deformation, (2) 407
- HAMERSTRAND, G. E., see BLACK, L. T., (2) 304
- HANDS, DAVID and WALKER, D. L., Gas fired molds (abstract), (1) 196
- HANEY, JOE, see BARNES, JOHN (abstract), (2) 452
- HARBER, JOHN B., see WALKER, LLOYD A. (abstract), (2) 451
- HARDY, Z. R., see LATTIMER, M. B., (2) 383
- HARRELL, E. R., see NAKAJIMA, NOBUYUKI, (2) 392
- HARRIS, ROBERT E., see LATTIMER, ROBERT P. (review), (3) 577
- HAXO, HENRY E., JR., Polymeric membranes for the lining of waste storage and disposal facilities (abstract), (2) 465

- HENDERSON, JAMES L. and CAMPBELL, JAMES H., Polyester elastomer in power-transmission belts—a review of current technology (abstract), (1) 217
- HERTLER, W. R., see SOGAH, D. Y. (abstract), (4) 865
- HESS, W. M., VEGVARI, P. C., and SWOR, R. A., Carbon black in NR/BR blends for truck tires, (2) 350
- HEWITT, NORMAN L., Evaluation of cord adhesion by tension fatigue testing (abstract), (4) 868
- , The use of viscoelastic series for compound design (abstract), (1) 177
- HILL, DENNIS, Recent technology developments concerning tetrafluoroethylene-propylene copolymer (abstract), (4) 860
- HIRAKAWA, HIROSHI, Hysteresis loss mechanism of carbon black filled rubber (1) (abstract), (4) 859
- HODGES, HENRY C., Truck tire fleet testing (abstract), (2) 459
- HOLDEN, GEOFFREY, Thermoplastic elastomers—an overview (abstract), (4) 864
- HOLONIA, B. P., Experimental measurement of dynamic bulk modulus using holography, (2) 258
- HORNING, ROBERT G., Supplier quality audits (abstract), (2) 463
- HOWARD, JAMES E., Spacecraft charging in earth-orbiting satellites (abstract), (4) 866
- HRUBIK, WILLIAM, Cements and cushion gums in the tire retread and repair industry (abstract), (1) 193
- HSIEH, H. L. and YEH, H. C., Polymerization of butadiene and isoprene with lanthanide catalysts; characterization and properties of homopolymers and copolymers, (1) 117
- HSIEH, K. H., see KLEMPNER, DANIEL (abstract), (4) 863
- HUPP, RICHARD J., Criteria for determining elastomer usage in hydraulic fluid power (abstract), (4) 860
- HUTCHINS, THOMAS G. and MELLEY, ROGER E., Conveyor belts in Canadian tar sands mining (abstract), (1) 206
- INOUE, T., SHOMURA, F., OUGIZAWA, T., and MIYASAKA, K., Covulcanization of polymer blends, (5) 873
- ISAYEV, AVRAAM, I., see MA, CHIN-YUAN, (4) 815
- , see WHITE, JAMES L. (abstract), (1) 185
- ITO, KEIJIRO, see TOSAKI, CHIKAO (abstract), (2) 457
- ITOH, KUNIO, see MITCHELL, JULIAN (abstract), (4) 861
- JEROME, R. and BROZE, G., Viscoelastic properties of a class of carboxylato-telechelic polydienes, (2) 223
- JESSOP, DANIEL H., JR., see WADE, ROBERT M. (abstract), (2) 453
- JUENGEL, ROBERT R., Carbon black selection for conductive rubber compounds (abstract), (4) 867
- KAIL, LAURENCE T., see MORRIS, WILLIAM R. (abstract), (1) 195
- KAWASAKI, HITOSHI, see NAKATSUKA, TAKUO, (1) 107
- KEACH, C. B., see WEST, J. R. (abstract), (2) 456
- KEEFE, ROBERT L., JR., Radial truck tire aramid reinforcement (abstract), (2) 458
- KELLER, ROBERT W., Oxidation and ozonation of rubber (review), (3) 637
- KELLEY, FRANK N., see STACER, ROSS G., (2) 421; (abstract), (2) 455; (5) 913, 924
- KELM, J. and GROSS, D., Fluorine NMR—a method for investigating the decomposition of vulcanization accelerators, (1) 37
- KERSHAW, D., see BURKEY, ROGER C. (abstract), (2) 454
- KETHCART, FRANCIS F., Warranty and guarantee liabilities imposed upon manufacturers as a result of usage of rubber materials in roofing systems (abstract), (2) 465
- KHAMRAI, A., see PAL, D., (4) 713
- KIM, DONGSIK, see MENDELSON, MORRIS A., (5) 997
- KING, MICHAEL, Passenger tire precure retreading (abstract), (1) 189
- KLEMPNER, DANIEL, BERKOWSKI, L., FRISCH, K. C., HSIEH, K. H., and TING, R., Interpenetrating polymer networks (IPNs) for vibration attenuation (abstract), (4) 863
- KONG, DANCHENG, see WHITE, JAMES L. (abstract), (1) 185

- KÖNIGSHOFEN, H., see BRÜCK, D., (4) 728
- KRAKOWSKI, F. J., see DEL VECCHIO, R. J. (abstract), (4) 867
- KRESGE, EDWARD N., COZEWITH, C., and VER STRATE, GARY, Long chain branching and gel in EPDM (abstract), (1) 180
- KRUEGER, RALF, European design parameters (abstract), (2) 458
- KUMLER, P. R., see NAKAJIMA, NOBUYUKI, (2) 392
- KUNE, PETER I., The economics of tire repairing (abstract), (1) 194
- KUO, C. C., see BHOMICK, ANIL K. (abstract), (1) 208
- KWOLEK, W. F., see BLACK, L. T., (2) 304
- KWON, Y. D. and PREVORSEK, D. C., Role of the viscoelastic properties of tire components in the performance of pneumatic tires rolling at high speeds (abstract), (1) 210
- LABRIOLA, JOHN M., see DRAKE, RONALD E. (abstract), (4) 861
- LAGACE, ARTHUR P., Market and applications for conductive plastics (abstract), (4) 866
- LATTIMER, M. B., WEBER, C. D., and HARDY, Z. R., An improved adhesive system for textile-reinforced rubber products, (2) 383
- LATTIMER, ROBERT P., HARRIS, ROBERT E., and SCHULTEN, HANS-ROLF, Applications of mass spectrometry to synthetic polymers (review), (3) 577
- LAWLESS, G. W., On the optical transparency of elastomeric materials (abstract), (2) 466
- LAWRENCE, NICK, see DWIGHT, DAVID (abstract), (4) 862
- LEDERER, DONALD A. and SEZNA, JOHN, Manufacturing control of heavy-duty truck tires (abstract), (2) 458
- LEE, CHI-LONG, see MAXSON, M. T. (abstract), (4) 859
- LEE, L. JAMES, see MACOSKO, CHRISTOPHER W., (2) 436
- LEGGE, N. R., Thermoplastic elastomers—the future (abstract), (4) 866
- LEWIS, RICHARD K., The impact of technology on conveyor belt performance (abstract), (2) 452
- LEYDEN, JERRY J., Quality in the rubber industry—an independent perspective (abstract), (2) 460
- LIN, CHIU-SING, see COCHRANE, HECTOR (abstract), (4) 864
- LIN, SIN-SHONG, Auger electron spectroscopic analysis of dispersion in rubber, (5) 885
- LOVETT, L. I., see WEST, J. R. (abstract), (2) 456
- LUCKMAN, EDWIN R., see TERBILCOX, THOMAS F. (abstract), (2) 453
- LUTZ, MICHAEL A., POLMANTEER, KEITH E., and CHAPMAN, HARRY L., Novel wet-process silica prepared from alkyl silicates. Part I: Synthesis, (5) 939
- , see CHAPMAN, HARRY L., (5) 953
- , see POLMANTEER, KEITH E., (5) 976
- MA, CHIN-YUAN, WHITE, JAMES L., WEISSERT, FREDERICK C., ISAYEV, AVRAAM I., NAKAJIMA, NOBUYUKI, and MIN, KYONSUKU, Flow patterns in elastomers and their carbon black compounds during extrusion through dies, (4) 815
- , see WHITE, JAMES L. (abstract), (1) 185
- MAAS, P. J. D., see VAN DEN BERG, J. H. M., (1) 58
- MACK, DANIEL P., see BYRNE, CATHERINE A., (5) 985
- MACOSKO, CHRISTOPHER W. and LEE, L. JAMES, Heat transfer and property development in liquid silicone rubber molding, (2) 436
- MAIRE, URS, Low-velocity pneumatic conveying of carbon black (abstract), (1) 207
- MAITI, MRINAL M., see PAL, D., (4) 713
- MAITI, SUKUMAR, see PAL, D., (4) 713
- MANCINELLI, P. A., FEINBERG, S. C., NORRIS, S. O., and BRAUNSTEIN, D. M., Macromers for adhesive applications (abstract), (2) 450
- MANZUR, A., see BHOWMICK, ANIL K. (abstract), (1) 208
- MARK, JAMES E. and NING, Y. -P., Ethylamine and ammonia as catalysts in the *in situ* precipitation of silica in silicone networks (abstract), (4) 864
- MASHIMO, S., NAKAJIMA, M., and YAMAGUCHI, Y., Short-fiber-reinforced rubber (abstract), (1) 213
- MAXSON, M. T. and LEE, CHI-LONG, Fluorosilicone liquid rubber (abstract), (4) 859

- McCULLOUGH, WILLIAM E., ASTROTH, LOUIS E., and FONDREN, JERRY L., Embracing and implementing SPC—strategy and follow-up (abstract), (2) 460
- MCINTYRE, DONALD, see BHOWMICK, ANIL K. (abstract), (1) 208
- McKENZIE, GEORGE T., see DEL VECCHIO, R. J. (abstract), (4) 867
- MCNEISH, ALAN A. and SWOR, RONALD A., The role of carbon black in high-performance rubber compounds (abstract), (1) 178
- MEEKER, THOMAS R., Specialty isoprene-based polymers—Derivatives from the general purpose polymers (abstract), (4) 869
- MEINECKE, EBERHARD A., see WANG, SHAU-CHEW, (1) 154, 164
- MELLEY, ROGER E., see BURKEY, ROGER C. (abstract), (2) 454
- , see HUTCHINS, THOMAS G. (abstract), (1) 206
- MENDELSON, MORRIS A., NAVISH, FRANCIS W., JR., and KIM, DONSIK, Characteristics of a series of energy-absorbing polyurethane elastomers, (5) 997
- MILLER, JAMES, see COOPER, STUART L., (5) 899
- MIN, KYONSUKU and WHITE, JAMES L., Flow visualization of the motions of elastomers and molten plastics in an internal mixer, (5) 1024
- , see MA, CHIN-YUAN, (4) 815
- , see WHITE, JAMES L. (abstract), (1) 185
- MIRZA, JEAN, Polychloroprene in power transmission belting (abstract), (1) 212
- MITCHELL, EARL W., Passenger tire retreading (abstract), (1) 190
- MITCHELL, JULIAN, ITOH, KUNIO, and WADA, TADASHI, New high-performance elastomeric composition (abstract), (4) 861
- MIYASAKA, K., see INOUE, T., (5) 873
- MONTI, SALVATORE J. and SUGERMAN, GERALD, Neoalkoxy titanate and zirconate coupling agent applications in thermosets (abstract), (4) 861
- , —, New neoalkoxy titanate coupling agents designed to eliminate particulate pretreatment; significant increased blowing agent efficiency; other 1983–84 titanate developments (abstract), (1) 209
- MORITA, E., SULLIVAN, A. B., and CORAN, A. Y., Vulcanization chemistry, (2) 284
- MORRIS, WILLIAM R. and KAIL, LAURENCE T., New innovations in stripwinding (abstract), (1) 195
- MORRISON, N. J., see GELLING, I. R., (2) 243
- MORTON, MAURICE, Rubber enters the polymer age, (3) G75
- MUSCH, R., Polyisobutylene telechelics for rubber networks, (1) 45
- MYERS, PHILIP F., Design and testing of air springs (abstract), (1) 181
- NAKAJIMA, M., see MASHIMO, S. (abstract), (1) 213
- NAKAJIMA, NOBUYUKI, KUMLER, P. R., and HARRELL, E. R., Effect of pressure and shear on compaction of powdered rubber with carbon black, (2) 392
- , see MA, CHIN-YUAN, (4) 815
- NAKATSUKA, TAKUO, KAWASAKI, HITOSHI, and YAMASHITA, SHINZO, End group effects in polymer modification of calcium carbonate fillers, (1) 107
- NAVISH, FRANCIS W., JR., see MENDELSON, MORRIS A., (5) 997
- NEUBERGER, NEAL, see EICHINGER, B. E. (abstract), (4) 857
- NEWELL, R., see BAKER, C. S. L., (1) 67
- NEWNHAM, ROBERT E. and PILGRIM, S. M., Piezoelectric ceramic-polymer composites as vibration absorbers (abstract), (4) 862
- NICHOLS, ARTHUR B., III, Management role in making quality happen (abstract), (2) 459
- NING, Y. -P., see MARK, JAMES E. (abstract), (4) 864
- NINOMIYA, KAZUHIKO, see TOSAKI, CHIKAO (abstract), (2) 457
- NORDSICK, K. H., Model studies for the development of an ideal tire tread rubber (abstract), (1) 201
- NORRIS, S. O., see MANCINELLI, P. A. (abstract), (2) 450
- OLIVIERI, DOMINIC, JR., Power transmission belting industry: trends—past, present, and future (abstract), (1) 211
- ORNDORFF, ROY L., JR., Factors of mechanical design (abstract), (1) 176

- OSTROWSKI, SUSAN C. and ZIEGEL, KENNETH D., An industrial approach to quality assurance (abstract), (2) 464
- OUGIZAWA, T., see INOUE, T., (5) 873
- PAL, D., KHAMRAI, A., ADHIKARI, B., DUTTA, T., MAITI, MRINAL M., and MAITI, SUKUMAR, New accelerators for vulcanization of rubber—Part III: Synthesis, characterization, and evaluation of some 2-mercaptobenzimidazole derivatives, (4) 713
- PANGALOS, G., see CHARRIER, J. M. (abstract), (4) 868
- PATEL, ARVIND C. and BROWN, W. A., Carbon black structure and viscoelastic properties of rubber compounds (abstract), (4) 858
- PATEL, R., see CORAN, A. Y., (5) 1014
- PATEL, S. R., see FREAKLEY, P. K., (4) 751
- PATT, JACOB, see DWIGHT, DAVID (abstract), (4) 862
- PETERSON, ALEX and DIETRICK, MYRON L., Resorcinol bonding systems for steel cord adhesion (abstract), (1) 216
- PETROVIĆ, ZORAN S. and BUDINSKI-SIMENDIĆ, JAROSLAVA, Study of the effect of soft-segment length and concentration on properties of polyether urethanes. I. The effect on physical and morphological properties, (4) 685
- , —, Study of the effect of soft-segment length and concentration on properties of polyether urethanes. II. The effect on mechanical properties, (4) 701
- PIERSON, ROBERT, Maurice Morton, Charles Goodyear Medalist—1985, (3) G72
- PILARSKI, RICHARD J., Recent trends in automated dispensing of adhesives and sealants (abstract), (2) 450
- PILGRIM, S. M., see NEWNHAM, ROBERT E. (abstract), (4) 862
- PITTOLO, M. and BURFORD, R. P., Recycled rubber crumb as a toughener of polystyrene, (1) 97
- POCIUS, ALPHONSUS V., Elastomer modification of structural adhesives (review), (3) 622
- PODOLSKY, YU. YA., see FRENKIN, E. I., (1) 23
- POLMANTEER, KEITH E., CHAPMAN, HARRY L., and LUTZ, MICHAEL A., Novel wet-process silica prepared from alkyl silicates. Part III. Use in silicone elastomers for optical applications, (5) 965
- , see CHAPMAN, HARRY L., (5) 953
- , see LUTZ, MICHAEL A., (5) 939
- POTTS, GERALD R., Fourier transforms applications to truck-tire testing (abstract), (2) 456
- PREVORSEK, D. C., see KWON, Y. D. (abstract), (1) 210
- PUGH, THOMAS L., see STEVENS, R. D. (abstract), (4) 860
- PULFORD, CARL T. R., Failure of rubber by abrasion (review), (3) 653
- RENSEL, JOHN D. and WEITZENHOF, D. A., Performance characteristics of the "Marsh Mellow" elastomeric spring (abstract), (1) 182
- ROLAND, C. M. and SMITH, C. R., Defect accumulation in rubber, (4) 806
- ROSSITER, WALTER J., Specifications for roofing membranes (abstract), (2) 462
- RUETZ, L., see BRÜCK, D., (4) 728
- RUPERT, DAVID O., Tire maintenance for city delivery fleets (abstract), (2) 455
- SALOVEY, R., see GUPTA, H. K., (2) 295
- SANDUSKY, ROBERT D., Manufacturing control for heavy-duty truck tire plants (abstract), (2) 457
- SATO, SHIGETAKE and TAKAO, SHINICHI, Present status of rubber membrane market in Japan (abstract), (2) 468
- SCHMIDT, ROGER C., Closed cell foam—product versatility through process and compound design (abstract), (1) 184
- SCHROER, THOMAS E., Approaches to improved heat resistance in formulations for dynamic applications (abstract), (1) 220
- SCHULTEN, HANS-ROLF, see LATTIMER, ROBERT P. (review), (3) 577
- SCHWARZ, H. F., see BURKEY, ROGER C. (abstract), (2) 454
- SCOTT, GERALD, A review of recent developments in the mechanisms of antifatigue agents, (2) 269



- SEBER, JOHN N., see GIBBS, EVERETT H., JR. (abstract), (1) 215
- SEMONIN, EMMET V., Tire applications in mining—open pit vs. low seam (abstract), (2) 451
- SENDERLING, RONALD L., Carlisle's role in expanding use of rubber membranes in agriculture, water distribution, and roofing (abstract), (2) 461
- SEZNA, JOHN A., Processability testing of extrusion compounds (abstract), (1) 186
- , see LEDERER, DONALD A. (abstract), (2) 458
- SHARP, ASA C., A reassessment of technology for changing priorities in high performance tire applications (abstract), (1) 200
- SHIEH, C. -H., see HAMED, G. R., (5) 1038
- SHIGA, S. and FURUTA, M., Processability of EPR in an internal mixer (IT)—Morphological changes of carbon black agglomerates during mixing, (1) 1
- SHOMURA, F., see INOUE, T., (5) 873
- SIDLES, JAMES, see BLAYNE, JEROME J. (abstract), (1) 187
- SILVEY, DOUGLAS H., Fire-retardant belting (abstract), (1) 203
- SLOAN, JAMES M., see BYRNE, CATHERINE A., (5) 985
- SMITH, C. R., see ROLAND, C. M., (4) 806
- SMITH, PHILIP G., Trouble-shooting in molded rubber products (abstract), (1) 216
- SOGAH, D. Y., WEBSTER, O. W., and HERTLER, W. R., Synthesis of block copolymers by group transfer polymerization (abstract), (4) 865
- SOLOMON, T. S., Systems for tire cord-rubber adhesion (review), (3) 561
- SOMMER, J. G., Molding of rubber for high performance applications (review), (3) 662
- SOMOANO, ROBERT, The use of electronic and ionic polymers in electrochemical storage cells (abstract), (4) 870
- SONG, J. R., see HAMED, G. R., (2) 407
- SPARKS, W. J., see BEAULIEU, A. H. (abstract), (2) 450
- STACER, ROSS G. and KELLEY, FRANK N., Criteria for unstable tearing of elastomers, (5) 924
- , —, Systems approach for the design of elastomeric structures (abstract), (2) 455
- , VON MEERWALL, ERNST D., and KELLEY, FRANK N., Time-dependent tearing of carbon black-filled and strain-crystallizing vulcanizates, (5) 913
- , YANYO, L. C., and KELLEY, FRANK N., Observations on the tearing of elastomers, (2) 421
- STANHOPE, HARRY W., V-belt reinforcement—Polyester the most popular fiber (abstract), (1) 218
- STEVENS, R. D., PUGH, THOMAS L., and TABB, D. L., New peroxide-curable fluoroelastomers developments (abstract), (4) 860
- STRONG, ALAN G., European perspective: past, present, and future of rubber membranes in water distribution, agriculture, and roofing (abstract), (2) 467
- SUGERMAN, GERALD, see MONTE, SALVATORE J. (abstract), (1) 209; (abstract), (4) 861
- SULLIVAN, A. B., see MORITA, E., (2) 284
- SWOR, RONALD A., see HESS, W. M., (2) 350
- , see MCNEISH, ALAN A. (abstract), (1) 178
- TAI, W. T., Water-based tire tread adhesives (abstract), (2) 453
- TAKAO, SHINICHI, see SATO, SHIGETAKE (abstract), (2) 468
- TATE, PHILIP, Maximize steel-cord adhesion using a combined system of cobalt and resorcinol/formaldehyde resin (abstract), (2) 453
- TERBILCOX, THOMAS F. and LUCKMAN, EDWIN R., Aqueous emulsion polymer/isocyanate adhesives (abstract), (2) 453
- THENHAUS, HAROLD, Compounding for aircraft and off-road retreading (abstract), (1) 192
- THOMPSON, CORLEY M., Nitrile rubber for damper applications in sonar transducers (abstract), (4) 863
- THOMPSON, STEVEN B., Kevlar aramid as a conveyor belt reinforcement (abstract), (1) 202
- TING, R., see KLEMPNER, DANIEL (abstract), (4) 863
- TOSAKI, CHIKAO, ITO, KEIJIRO, and NINOMIYA, KAZUHIKO, A new oscillating-die type curometer for quality control testing (abstract), (2) 457



- TOUB, MEL, Semiconductive silicone rubber properties and applications (abstract), (4) 871
- TRAVIS, JACK, see CROSBY, JANE (abstract), (4) 871
- TREXLER, HAROLD E., The development of automotive brake hose elastomer compositions (abstract), (2) 466
- , see ABU-ISA, ISMAT A., (2) 326
- TRIVISONNO, N. M., Nondestructive evaluation of tires (review), (3) 469
- VAN DEN BERG, J. H. M., DUYNSTEE, E. F. J., and MAAS, P. J. D., Model vulcanization of EPDM compounds—Part III. Influence of vulcanization system on the vulcanization products from ethylidene norbornane, (1) 58
- VEGVARI, P. C., see HESS, W. M., (2) 350
- VEITH, ALAN G., ASTM Committee D-11—its role in the rubber industry (abstract), (1) 197
- VER STRATE, GARY, see KRESGE, EDWARD N. (abstract), (1) 180
- VINOGRADOV, G. V., see FRENKIN, E. I., (1) 23
- VON MEERWALL, ERNST D., Pulsed and steady field gradient NMR diffusion measurements in polymers (review), (3) 527
- , see STACER, ROSS G., (5) 913
- WADA, TADASHI, see MITCHELL, JULIAN (abstract), (4) 861
- WADE, ROBERT M., BUNISH, STEVE, and JESSOP, DANIEL H., JR., Elastomers for power cables in the mining industry (abstract), (2) 453
- WAGNER, EDWARD J., Retreading today in the United States (abstract), (1) 188
- WALKER, D. L., see HANDS, DAVID (abstract), (1) 196
- WALKER, LLOYD A. and HARBER, JOHN B., Improved durability in OTR mining tires (abstract), (2) 451
- WALLACE, I. R., see BARNARD, D., (4) 740
- WALLACE, JOHN G., ABELL, W. ROBERT, and HAGMAN, JOHN F., Melt processable rubbers—a new concept for the rubber industry (abstract), (4) 864
- WANG, SHAU-CHEW and MEINECKE, EBERHARD A., Buckling of viscoelastic columns. Part I: Constant-load buckling, (1) 154
- , —, Buckling of viscoelastic columns. Part II: Constant deformation rate buckling, (1) 164
- WARNER, JACK C., Instrumentation—a look ahead (abstract), (2) 463
- WASON, MICHAEL, Autogenous mill liners in rubber (abstract), (2) 454
- WATKINS, MICHAEL J. and DERRINGER, GEORGE C., Effects of oilfield corrosion inhibitors on nitrile elastomers (abstract), (4) 869
- , see DERRINGER, GEORGE C. (abstract), (4) 867
- WEBER, C. D., see LATTIMER, M. B., (2) 383
- WEBER, M. E., see CHARRIER, J. M. (abstract), (4) 868
- WEBSTER, EARL F., Electrical resistivity of PVC solid woven conveyor belting (abstract), (1) 205
- WEBSTER, O. W., see SOGAH, D. Y. (abstract), (4) 865
- WEIR, JAMES D., The importance of sizing on the retread industry (abstract), (1) 195
- WEISSERT, FREDERICK C., see MA, CHIN-YUAN, (4) 815
- , see WHITE, JAMES L. (abstract), (1) 185
- WEITZENHOF, D. A., see RENDEL, JOHN D. (abstract), (1) 182
- WEST, J. R., LOVETT, L. L., and KEACH, C. B., A new family of carbon blacks with mixing energy reduction and enhanced dispersion (abstract), (2) 456
- WESTLEY, STEPHEN A., Bonding EPDM single ply roofing: the present state of the art (abstract), (2) 465
- WHITE, JAMES L., ISAYEV, AVRAAM I., MIN, KYONSUKU, WEISSERT, FREDERICK C., CHUNG, KI-HO, KONG, DANCHENG, and MA, CHIN-YUAN, A basic research program on rubber processing (abstract), (1) 185
- , see MA, CHIN-YUAN, (4) 815
- , see MIN, KYONSUKU, (5) 1024
- WILLIAMS-HEAD, D., see CORAN, A. Y., (5) 1014

WILSON, DON F., SPC—Pathway to solving industrial problems (abstract), (2) 464

WORK, STEVE, Elastomer screen testing at Pinto valley (abstract), (2) 454

YAMAGUCHI, Y., see MASHIMO, S. (abstract), (1) 213

YAMASHITA, SHINZO, see NAKATSUKA, TAKUO, (1) 107

YANYO, L. C., see STACER, ROSS G., (2) 421

YEH, H. C., see HSIEH, H. L., (1) 117

YOSHIMURA, NOBUYA, The application of a finite element method to tire design (abstract), (2) 462

YOUNG, D. G., Dynamic property and fatigue crack propagation research on tire sidewall and model compounds, (4) 785

ZIEGEL, KENNETH D., see OSTROWSKI, SUSAN C. (abstract), (2) 464

ZOLIN, BYRON I., Use of rubber membranes in waste containment ponds (abstract), (2) 462

## SUBJECT INDEX\*

- Abrasion, of elastomers by small particle impacts (abstract), (4) 867
- , role in failure of rubber (review), (3) 653
- Accelerators, (4) 713
- , study of decomposition products by fluorine NMR, (1) 37
- Acrylate monomer, *in situ* grafting on nitrile elastomers for plasticization, (1) 146
- Acrylic adhesive, hot-melt, pressure-sensitive (abstract), (2) 450
- , modification by elastomers (review), (3) 622
- Acrylic monomers, controlled polymerization by group transfer method (abstract), (4) 865
- Acrylonitrile-butadiene copolymer (NBR), blend with PVC for closed-cell foam (abstract), (1) 184. See also Nitrile rubber
- , characterization, (2) 295
- Adhesion, of ethylene-propylene-diene (EPDM) roofing material (abstract), (2) 463
- , of rubber to tire cords (review), (3) 561
- , of tire cord, evaluation by tension fatigue testing (abstract), (4) 868
- , trouble shooting, in molded rubber products (abstract), (1) 214
- Adhesive, acrylic hot-melt, pressure-sensitive (abstract), (2) 450
- , for tire tread, water-based (abstract), (2) 453
- Adhesive bonding, of elastomer-modified plastics (abstract), (2) 449
- Adhesive system, for polyester fiber-reinforced rubber products, (2) 383
- Adhesive technology, overview (abstract), (2) 449
- Adhesives, aqueous emulsion polymer/isocyanate (abstract), (2) 453
- , from Macromers (abstract), (2) 450
- , structural, modification by elastomers (review), (3) 622
- Adhesives and sealants, automated dispensing of (abstract), (2) 450
- Aging, oxidative, of black-filled elastomers (abstract), (2) 452
- , —, of epoxidized natural rubber, (2) 243
- Agricultural uses, of rubber membranes (abstract), (2) 461, 467, 468
- Air springs, design and testing (abstract), (1) 181
- Aircraft tires, retreading (abstract), (1) 192
- Anisotropy, induced in uncrosslinked elastomer via large strain deformation, (2) 407
- Antifatigue agents, mechanism of action in high-performance tires, (2) 269
- Antioxidant-accelerators, from derivatives of 2-mercaptobenzimidazole, (4) 713
- Antioxidant types (review), (3) 637
- Antioxidants, nonstaining, for neoprene (CR), (4) 728
- Antiozonant types (review), (3) 637
- Aramid, for reinforcement of radial truck tires (abstract), (2) 458
- Aramid fiber, for conveyor belt reinforcement (abstract), (1) 202
- Aramid tire cord, adhesion (review), (3) 561
- ASTM Committee D-11, role in rubber industry (abstract), (1) 197
- ASTM Committee D-24, role in rubber industry (abstract), (1) 198
- Auger electron spectroscopy, of dispersants in rubber, (5) 885
- Autohesion and tack, of elastomers, contact time effects, (5) 1038
- Automated dispensing, of adhesives and sealants (abstract), (2) 450
- Bearings and mounts, molding for high performance (review), (3) 662
- Belting, fire-retardant (abstract), (1) 203
- , power transmission, heat resistance (abstract), (1) 220
- , —, polychloroprene (CR) in (abstract), (1) 212
- , —, polyester elastomers in (abstract), (1) 217
- , —, trends (abstract), (1) 211
- , synchronous, finite-element analysis of contact stress (abstract), (1) 219
- Bimodal network formation, for propellant binders of improved stress/strain properties (abstract), (4) 869

\* Prepared by Lois W. Brock

- bis-(1,2,3,6-tetrahydrobenzaldehyde)-pentaerythrityl acetal (AFS), as nonstaining antiozonant for neoprene (CR), (4) 728
- Blends, of *cis*- and *trans*-polyisoprene (abstract), (1) 208
- , of NR/BR for truck tires, carbon black effect, (2) 350
- , of polymers, covalentization, (5) 873
- , of rubber and thermoplastics, (5) 1014
- , of thermoplastic interpenetrating polymer networks (abstract), (4) 857
- Block copolymers, by group transfer polymerization (abstract), (4) 865
- , saturated, for forming thermoplastic interpenetrating polymer networks (abstract), (4) 857
- Blowing agents, increased efficiency with neoalkoxy titanate couplers (abstract), (1) 209
- Bonding problems, in transfer molding (abstract), (1) 215
- Book Reviews
- “Applied Techniques in Statistics for Selected Industries: Coatings, Paints and Pigments,” H. Earl Hill and Joseph W. Prane, Eds., (2) G44
- “Composite Structures—2,” I. H. Marshall, Ed., (1) G31
- “Plastic Products Design Handbook, Part B: Processes and Design for Processes,” Edward Miller, Ed., (2) G43
- “Polymer Yearbook,” 1st edition, Hans-Georg Elias and Richard A. Pethrick, Eds., (1) G32
- “PVC Technology,” fourth edition, W. V. Titow, Ed., (3) G71
- “Radiation Technology Handbook,” Richard Bradley, (1) G33
- “Textbook of Polymer Science,” third edition, Fred W. Billmeyer, Jr., (2) G44
- “Thermoplastics: Material Engineering,” L. Mascia, (1) G31
- “Toxic Hazards of Rubber Chemicals,” A. R. Nutt, (2) G43
- Books received, (1) G34, (2) G46, (3) G71, (4) G115, (5) G123
- Bromobutyl-chlorobutyl rubber blend, for automotive brake hose (abstract), (2) 466
- Buckling, of viscoelastic columns, under constant deformation rate, (1) 164
- , —, under constant load, (1) 154
- Butadiene-acrylonitrile copolymer, See Nitrile rubber
- Butadiene-styrene rubber (SBR), blend with polybutadiene (BR), covalentization, (5) 873
- , carbon-black-filled, time-dependent testing of, (5) 913
- , effect of contact time on autohesion and tack, (5) 1038
- , flow pattern during extrusion, (4) 815
- , unstable tearing, (5) 924
- Butyl rubber, for agricultural membranes (abstract), (2) 461
- Cables, power, for the mining industry (abstract), (2) 453
- Calcium carbonate fillers, with phosphate coupling agent, for polymer modification, (1) 107
- Carbon black, compaction with powdered rubber, effect of pressure and shear, (2) 392
- , effect of types on dynamic mechanical properties of elastomers (abstract), (4) 863
- , for conductive elastomers (abstract), (4) 867
- , in NR/BR blends for truck tires, (2) 350
- , low-velocity pneumatic conveying of (abstract), (1) 207
- , mechanism of mixing with rubber, (4) 774
- , new family with mixing energy reduction (abstract), (2) 456
- Carbon black agglomerates, during mixing of EPR, (1) 1
- Carbon black compounds, of elastomers, flow patterns during extrusion, (4) 815
- Carbon black-filled elastomers, oxidative aging (abstract), (2) 452
- , hysteresis loss mechanism (abstract), (4) 859
- Carbon black-filled vulcanizates, time-dependent tearing of, (5) 913
- Carbon black structure, relation to viscoelastic properties of rubber compounds (abstract), (4) 858
- Carbon/polymer composites, percolation phenomena in conductivity and dielectric constant (abstract), (4) 866
- Carboxylated polydienes, telechelic, viscoelastic properties, (2) 223
- Cements and cushion gums, for tire retreading (abstract), (1) 193
- Chain conformation, in multiblock copolymers, (5) 899
- Chloroprene rubbers (CR), for heat-resistance formulation in power transmission belting (abstract), (1) 220. See also Polychloroprene
- Cobalt, with resorcinol/formaldehyde resin,

- for maximized steel-cord adhesion (abstract), (2) 453
- Compaction, of rubber powder and carbon black, effect of pressure and shear, (2) 392
- Compatibilization, of rubber and thermoplastic compositions, (5) 1014
- Compound design, by use of viscoelastic series (abstract), (1) 177
- Compounding, for retreads (abstract), (1) 189, 190, 191, 192
- Compression set, of tetrafluoroethylene-propylene copolymers (abstract), (4) 860
- Conductive elastomers, carbon black for (abstract), (4) 867
- , for mitigating accumulated charges in spacecraft (abstract), (4) 866
- Conductive plastics, markets (abstract), (4) 866
- Conductive thermoplastic composites (abstract), (4) 871
- Conference announcements, (1) G35, (2) G49, (3) G95, (4) G116, (5) G124
- Constant deformation rate buckling, of viscoelastic columns, (1) 164
- Constant load buckling, of viscoelastic columns, (1) 154
- Conveying, of carbon black, pneumatically at low velocity (abstract), (1) 207
- Conveyor belt, electrical resistivity of PVC solid woven (abstract), (1) 205
- Conveyor belt performance, impact of technology (abstract), (2) 452
- Conveyor belt reinforcement, aramid fiber for (abstract), (1) 202
- , steel cable, and splice reliability (abstract), (1) 204
- Conveyor belts, in Canadian tar sands mining (abstract), (1) 206
- Coupling agents, for thermosets, from nealkoxy titanates and zirconates, (4) 861
- Covulcanization, of polymer blends, (5) 873
- Cure conditions, effect on dynamic mechanical properties of elastomers (abstract), (4) 863
- Curometer, oscillating die, for quality control testing (abstract), (2) 457
- Dannenberg, Eli M., Award for Technical Excellence, Fall 1984, (1) G30
- Defect accumulation, in rubber, (4) 806
- Deformation, large strain, and anisotropy in uncrosslinked elastomer, (2) 407
- Density states, for elastomers (abstract), (4) 857
- Design, of elastomeric structures, systems approach (abstract), (2) 455
- Diffusion measurements, in polymers, by NMR (review), (3) 527
- Diisocyanate isomer mixtures, for aliphatic polyurethane elastomers, (5) 985
- Dispersants, for rubber, Auger electron spectroscopy of, (5) 885
- Dispersion, of carbon black, enhanced for mixing-energy reduction (abstract), (2) 456
- Dry-blends, of rubber, direct injection molding of (abstract), (4) 870
- Dynamic bulk modulus, measuring by holography, (2) 258
- Dynamic mechanical properties, of elastomers, effect of carbon black type and cure conditions (abstract), (4) 863
- Dynamic property variation, in nitrile rubber (NBR) (abstract), (4) 867
- Elastomer, uncrosslinked, anisotropy induced by large strain deformation, (2) 407
- Elastomer products, for mining industry (abstract), (2) 451
- Elastomeric sheets, single and multiple punctures, effect of various parameters (abstract), (4) 868
- Elastomers, black-filled, oxidative aging (abstract), (2) 452
- Electrical resistivity, of solid woven PVC conveyor belting (abstract), (1) 205
- Electrochemical storage cells, use of electronic and ionic polymers in (abstract), (4) 870
- Electronic and ionic polymers, in electrochemical storage cells (abstract), (4) 870
- End group effects, in polymer modification of calcium carbonate fillers, (1) 107
- Energy absorption, of polyurethane elastomers, (5) 997
- Engineering uses, of rubber, design factors (abstract), (1) 176
- Epoxidized natural rubber (ENR), (1) 67
- , by use of peracetic acid, (1) 86
- , sulfur vulcanization and oxidative aging, (2) 243
- Epoxy-based adhesives, modification by elastomers (review), (3) 622
- Epoxy-glass, and elastomeric polyurethanes, in interpenetrating polymer network for vibration attenuation (abstract), (4) 863
- Ethylene-propylene-diene (EPDM), in waterproofing membranes (abstract), (2) 466

- , in single-ply roofing membranes (abstract), (2) 467
- , long chain branching and gel (abstract), (1) 180
- , model vulcanization systems, (1) 58
- Ethylene-propylene-diene monomer, with organopolysiloxane and reinforcing silica filler, for high-performance elastomers (abstract), (4) 861
- , for agricultural membranes (abstract), (2) 461
- , for roofing, bonding (abstract), (2) 465
- Ethylene-propylene rubber (EPR), dispersion of carbon black during mixing, (1) 1
- , unstable tearing, (5) 924
- Ethylidene norbornane, model for studying vulcanization of EPDM, (1) 58
- Extrusion, of elastomers and their carbon black compounds, flow patterns during, (4) 815
- Extrusion compounds, processability testing (abstract), (1) 186
- Fast Fourier transforms, applications in truck tire testing (abstract), (2) 456
- Fatigue crack propagation, in tire sidewalls, (4) 785
- Finite-element analysis, of contact stress in synchronous belt teeth (abstract), (1) 219
- , of cord/rubber composites, (4) 830
- , in tire design (abstract), (2) 462
- Fire-retardant belting (abstract), (1) 203
- Flow patterns, during extrusion of elastomers and their carbon black compounds, (4) 815
- Flow profile, during internal mixing cycles, (4) 751
- Flow visualization, of elastomers and plastics in internal mixer, (5) 1024
- Fluorocarbon elastomers, mechanism of degradation in engine oil, (2) 326
- Fluoroelastomer, peroxide-curable (abstract), (4) 860
- Fluorosilicone liquid rubber (abstract), (4) 859
- Foam, closed-cell, of PVC-nitrile rubber blends (abstract), (1) 184
- Fourier transforms, in truck tire testing (abstract), (2) 456
- Fracture, influence of defect accumulation, (4) 806
- Gel, in EPDM (abstract), (1) 180
- Gel permeation chromatography, for analysis of acrylonitrile-butadiene copolymers, (2) 295
- Glass tire cord, adhesion (review), (3) 561
- Glass transition temperature, effect of modifying resins in styrene block copolymers, (5) 973
- Gordon Research Conference on Elastomers, July 15-19, 1985, Program, (2) G47
- Graft structure, of acrylates grafted *in situ* onto nitrile elastomers, influence on low temperature flexibility, (1) 146
- Guayule, analysis by near-infrared reflectance spectroscopy, (2) 304
- Halato-telechelic polydienes, viscoelastic behavior, (2) 223
- Heat resistance, in power transmission belting (abstract), (1) 220
- Heat transfer, in liquid silicone rubber molding, relation to property development (abstract), (2) 436
- High flex elastomers, from higher olefin copolymers (abstract), (4) 858
- High-performance elastomers, from ethylene-propylene-diene monomer with organopolysiloxane and reinforcing silica filler (abstract), (4) 861
- , for use in the mining industry (abstract), (2) 454
- High-performance tires, reassessment of technology (abstract), (1) 200
- High-pressure vulcanization, of rubber, (1) 23
- Holography, for nondestructive testing of tires (review), (3) 469
- Hose, brake, elastomer compositions for (abstract), (2) 466
- Hose design, for the mining industry (abstract), (2) 452
- Hydraulic fluid power, elastomers for sealing systems (abstract), (4) 860
- Hysteresis loss mechanism, in carbon black-filled rubber (abstract), (4) 859
- HYTREL polyester elastomer, review (abstract), (4) 865
- Infrared, for nondestructive evaluation of tires (review), (3) 469
- Infrared reflectance spectroscopy, near, for analysis of guayule, (2) 304
- Inifer technique, for preparation of telechelic polyisobutylenes, (1) 45
- Injection molding, direct, of rubber dry-blends (abstract), (4) 870
- Instrumentation, as state-of-the-art necessity (abstract), (2) 463

- International Rubber Science Hall of Fame, 1984, (2) G50, G53
- Interpenetrating polymer networks, for vibration attenuation (abstract), (4) 863
- , thermoplastic without crosslinks (abstract), (4) 857
- Ionic polymers, for electrochemical storage cells (abstract), (4) 870
- Isocyanate adhesive, with aqueous emulsion polymer (abstract), (2) 453
- Isoprene-based polymers, for specialty use (abstract), (4) 869
- Isoset adhesives, from isocyanate and aqueous emulsion polymer (abstract), (2) 453
- Lal, Joginder, moderator of best symposium, Fall 1984, (1) G16
- Lanthanide catalysts, for stereospecific polymerization of dienes, (1) 117
- Liners, polymeric, for waste storage and disposal facilities (abstract), (2) 465
- Long chain branching, in EPDM (abstract), (1) 180
- Maintenance, of tires for city delivery fleets (abstract), (2) 455
- Management's role, in quality control (abstract), (2) 459
- "Marsh Mellow," elastomeric spring (abstract), (1) 182
- Mass spectrometry, applications to synthetic polymers (review), (3) 577
- Mathematical model, for operation of elastic spargers (gas dispersers) (abstract), (4) 868
- Mechanical design, of rubber products (abstract), (1) 176
- Melt processable rubbers (abstract), (4) 864
- Membranes, polymeric, for lining waste storage and disposal facilities (abstract), (2) 465
- 2-mercaptobenzimidazole derivatives, as accelerators, (4) 713
- Microstructure, of rubber, (5) 885
- Mill liners, for mining industry, elastomeric (abstract), (2) 454
- Mining, conveyor belts for (abstract), (1) 206
- , —, of improved durability (abstract), (2) 451
- , high-performance compounds for (abstract), (2) 454
- , hose design (abstract), (2) 452
- , power cables for (abstract), (2) 453
- , rubber liners for mills (abstract), (2) 454
- , tires, for open pit vs. low seam (abstract), (2) 451
- , uses of elastomers (abstract), (2) 451
- Mixing, internal, flow and temperature profiles, (4) 751
- , of carbon black with rubber, (4) 774
- , visualization of flow of elastomers and molten plastics during, (5) 1024
- Mixing energy, reduction with new family of carbon blacks (abstract), (2) 456
- Model, for abrasion failure of rubber (review), (3) 653
- , for ideal tire tread rubber (abstract), (1) 201
- , linear anisotropic material, for study of cord/rubber composites, (4) 830
- Modifying resins, effect on viscoelastic properties of styrene block copolymers, (5) 973
- Molded rubber products, adhesion troubleshooting (abstract), (1) 214
- Molding, of rubber, for high performance (review), (3) 662
- , ventless, of rubber goods (abstract), (1) 187
- Molds, gas fired, for retreading (abstract), (1) 196
- Morton, Maurice, Charles Goodyear Medalist 1985, (3) G72
- Mote, Sidney Charles, International Rubber Science Hall of Fame, 1984, (2) G50
- Motion control, with elastomeric products (abstract), (1) 183
- National Highway Traffic Safety Administration, perception of quality (abstract), (2) 459
- Natural rubber (NR), flow pattern during extrusion, (4) 815
- , tearing of, (5) 913; 924
- Natural rubber (NR) compounds, for truck tires, (4) 740
- Neoalkoxy titanate and zirconate coupling agents, for thermosets (abstract), (4) 861
- Neoalkoxy titanate coupling agents, for composites (abstract), (1) 209
- Neoprene (CR), See Polychloroprene
- Nitrile rubber (NBR), blend with PVC for closed-cell foam (abstract), (1) 184
- , characterization of copolymers containing antioxidant, (2) 295
- , dynamic property variation and analysis (abstract), (4) 867
- , effect of oilfield corrosion inhibitors (abstract), (4) 869
- , for damper applications in sonar transducers (abstract), (4) 863



- Nondestructive testing, of tires (review), (3) 469
- Nonuniformities, of wheels and tires for trucks, impact on ride (abstract), (2) 456
- Nuclear magnetic resonance, for diffusion measurements in polymers (review), (3) 527
- , of fluorine-labelled accelerators, (1) 37
- Numerical analysis, of tires, use of generalized cord/rubber properties, (2) 314
- Nylon, blends with various rubbers, (5) 1014
- Off-road tires, retreading (abstract), (1) 192
- Oilfield environment, effect of corrosion inhibitors on nitrile rubber (abstract), (4) 869
- Oil well environment, simulation for testing of elastomers (abstract), (4) 867
- Olefins ( $C_4$ – $C_{10}$ ), copolymers with 4-methyl and 5-methyl-1,4-hexadienes (abstract), (4) 858
- Onion model, for dispersion of carbon black in EPR, (1) 1
- Oscillating-die curemeter, for quality control testing (abstract), (2) 457
- Oxidation, of rubber (review), (3) 637
- Ozonation, of rubber (review), (3) 637
- Ozone-resistant elastomers, from higher olefin copolymers (abstract), (4) 858
- Passenger tires, retreading, compounding (abstract), (1) 190
- , —, with precured tread (abstract), (1) 189
- Peptizer, nontoxic vulcanizable, for NR, SBR, and BR (abstract), (4) 861
- Peracetic acid, for epoxidation of natural rubber latex, (1) 86
- Percolation, in electrical conductivity and dielectric constant of carbon/polymer composites (abstract), (4) 866
- Perforated elastomeric sheets, for gas dispersers, effect of various parameters (abstract), (4) 868
- Peroxide cure, of fluoroelastomers (abstract), (4) 860
- Phenolic-based adhesives, modification by elastomers (review), (3) 622
- Phosphate-terminated polymers, for surface modification of calcium carbonate fillers, (1) 107
- Piezoelectric ceramic-polymer composites, for vibration absorption (abstract), (4) 862
- Plasticization, of nitrile elastomers by *in situ* grafted acrylates, (1) 146
- Plastics, elastomer-modified, adhesive bonding (abstract), (2) 449
- Polybutadiene rubber (BR), flow pattern during extrusion, (4) 815
- , hydroxyl-terminated, unstable tearing, (5) 924
- , made with lanthanide catalysts, (1) 117
- Polychloroprene rubber (CR), action of antiozonants, (4) 728
- , for power transmission belting (abstract), (1) 212
- , reinforced with short fibers (abstract), (1) 213
- , unstable tearing of, (5) 924
- Polyester elastomers, for power transmission belting (abstract), (1) 217
- Polyester fiber, adhesion to rubber with resorcinol/formaldehyde and lactam-blocked polyisocyanate, (2) 383
- , for reinforcement of V-belts (abstract), (1) 218
- Polyester tire cord, adhesion (review), (3) 561
- Polyether urethanes, effect of soft-segment length, (4) 685, 701
- Polyethylene terephthalate fibers, short, as reinforcement for polychloroprene (CR) compounds (abstract), (1) 213
- Poly(fluoroalkoxyphosphazene) elastomers (abstract), (4) 859
- Polyisobutylene telechelics, for rubber networks, (1) 45
- Polyisocyanate, lactam-blocked, with resorcinol/formaldehyde for adhesion of polyester fiber to rubber, (2) 385
- Polyisoprene, blends of *cis*- and *trans*-, (abstract), (1) 208
- , made with lanthanide catalysts, (1) 117
- Polymer blends, covulcanization, (5) 873
- Polypropylene, blended with nylon and with EPDM, (5) 1014
- Polystyrene, toughened by recycled rubber crumbs, (1) 97
- , with methacrylate terminal group (Macromer), for adhesive applications (abstract), (2) 450
- Polyurethane block copolymers, measuring chain conformation, (5) 899
- Polyurethane elastomer, blended with nylon, (5) 1014
- , improved stress/strain behavior (abstract), (4) 869
- , with glass epoxy interpenetrating

- polymer network for vibration attenuation (abstract), (4) 863
- Polyurethane elastomers, energy-absorbing, (5) 997
- Polyurethane polymers, aliphatic, from diisocyanate isomer mixtures, (5) 985
- Polyurethane screen panels, testing (abstract), (2) 454
- Polyurethanes, segmented, mechanical properties, (4) 701
- , —, physical and morphological properties, (4) 685
- Polyvinyl chloride, electrical resistivity of solid woven conveyor belting of (abstract), (1) 205
- Polyvinyl chloride-nitrile rubber (NBR) blend, in closed-cell foam (abstract), (1) 184
- Processability, of EPR in an internal mixer, (1) 1
- , testing of extrusion compounds (abstract), (1) 186
- Processing, of rubber, basic research program (abstract), (1) 185
- Processing aid, nontoxic, for NR, SBR, and BR (abstract), (4) 861
- Propellant binders, with urethane rubbers of improved stress/strain behavior (abstract), (4) 869
- Quality, as perceived by National Highway Traffic Safety Administration (abstract), (2) 459
- , from perspective of independent laboratory (abstract), (2) 460
- , improvement in total control (abstract), (2) 459
- , management's role in (abstract), (2) 459
- , supplier audits (abstract), (2) 463
- , vendor rating and statistical process control (abstract), (2) 462
- Quality control testing, with oscillating-die curemeter (abstract), (2) 457
- Radial tire, repairing (abstract), (1) 194
- Recycled rubber crumb, toughener for polystyrene, (1) 97
- Relaxation, in elastomeric networks (abstract), (4) 857
- Repairing, of tires (abstract), (1) 193, 194
- , —, economics of (abstract), (1) 194
- Resorcinol bonding, of steel cord to rubber (abstract), (1) 216
- Resorcinol/formaldehyde, with lactam-blocked polyisocyanate, for adhesion of polyester to rubber, (2) 383
- , with cobalt, for maximized steel-cord adhesion (abstract), (2) 453
- Retreading (abstract), (1) 188
- , by stripwinding (abstract), (1) 195
- , cements and cushion gums for (abstract), (1) 193
- , future of (abstract), (1) 188
- , importance of sizing (abstract), (1) 195
- , of aircraft and off-road tires (abstract), (1) 192
- , of passenger tires, compounding considerations (abstract), (1) 190
- , of passenger tires, with precured tread (abstract), (1) 189
- , of truck tires, compounding for hot recap retread (abstract), (1) 191
- , of truck tires, with precured treads (abstract), (1) 189
- , using gas fired molds (abstract), (1) 196
- Rolling resistance, of pneumatic tires, role of viscoelastic properties (abstract), (1) 210
- , of truck tires with NR compounds with semi-EV cure, (4) 740
- Roofing, EPDM single-ply, bonding (abstract), (2) 465
- , materials used in South America (abstract), (2) 467
- , rubber membranes for (abstract), (2) 461, 467, 468
- , —, specifications for (abstract), (2) 462
- Roofing systems, rubber, warranty and guarantee liabilities involving (abstract), (2) 465
- Rubber, as polymer (Charles Goodyear Medal Address, 1985), (3) G75
- , powdered, compaction with carbon black, effect of pressure and shear, (2) 392
- Rubber Division, ACS
- Articles in Rubber Reviews, 1974-1983, (3) G66
- Award for Technical Excellence, (1) G30
- Award to Moderator of Best Symposium, (1) G16
- Best Paper Awards, (1) G15; (4) G100
- Bylaws, (1) G20
- Charles Goodyear Medalist, (3) G82
- Future meetings, (1) G13; (2) G38; (3) G58; (4) G98; (5) G118
- Guide for authors, (3) G63
- Information in previous issues, (1) G13; (2) G38; (3) G58; (4) G98; (5) G118

- Library and Information Services, (1) G17; (2) G40; (3) G60; (4) G112; (5) G120
- Officers, executive committee, and staff, (1) G1; (2) G37; (3) G57; (4) G97; (5) G117
- Policy on technical papers, (1) G29; (2) G42; (3) G62; (4) G114; (5) G122
- Program for 1985 Fall Meeting, (4) G101
- Program for 1985 Spring Meeting, (1) G3
- Statistics on original papers received, accepted, and published in RUBBER CHEMISTRY & TECHNOLOGY, (4) G111
- Symposia at future meetings, (1) G14; (2) G39; (3) G59; (4) G99; (5) G119
- Rubber membranes, agricultural, laboratory tests for (abstract), (2) 461
- , —, water distribution, and roofing (abstract), (2) 461, 467, 468
- , in water distribution, agriculture, and roofing, European perspective (abstract), (2) 467
- , markets in Japan (abstract), (2) 468
- Satellites, earth-orbiting, use of conductive rubber to mitigate accumulated charges (abstract), (4) 866
- Screen, testing polyurethane for (abstract), (2) 454
- Sealing systems, for hydraulic fluid power, criteria for selection of elastomers for (abstract), (4) 860
- Seals, molding for high performance (review), (3) 662
- Segment length, in polyurethanes, effect on properties, (4) 685, 701
- Semiconductive silicone rubber, properties and applications, (4) 871
- Short-fiber reinforced rubber (review), (1) 213
- Silica, fumed, effect in silicone rubber sealants (abstract), (4) 864
- , wet-process, from alkyl silicates, (5) 939, 953, 965
- Silica filler, *in-situ* precipitation in silicone networks using ethylamine and ammonia as catalysts (abstract), (4) 864
- Silicone elastomers, for optical applications, use of wet-process silica in (5) 965
- , in sealants, effect of fumed silica (abstract), (4) 864
- , liquid, for molding, heat transfer and its relation to property development, (2) 436
- , reinforcement with wet-process silica, (5) 953, 965
- , semiconductive, processes and applications, (4) 871
- Sizing, importance in retreading (abstract), (1) 195
- Small-angle neutron scattering, for measuring chain conformation in multi-block copolymers, (5) 899
- Small angle x-ray scattering, modification of test for detection of microcracks, (4) 806
- Small particle impacts, effect on rubber abrasion (abstract), (4) 867
- Soft segments, in polyetherurethanes, effect on mechanical properties, (4) 701
- , —, physical and morphological effects, (4) 685
- Sourwine, Eldon R., biog. sketch, (1) G2
- Splice reliability, in steel cable-reinforced conveyor belts (abstract), (1) 204
- Springs, elastomeric, for dynamic isolation and motion control (abstract), (1) 183
- , —, performance of (abstract), (1) 182
- Statistical process control, for solving industrial problems (abstract), (2) 464
- , influence on vendor quality control (abstract), (2) 462
- , strategy and follow-up (abstract), (2) 460
- Steel cord, maximized adhesion with cobalt and resorcinol/formaldehyde resin (abstract), (2) 453
- , resorcinol bonding systems for (abstract), (1) 216
- Stick-slip tearing and tear-tip diameter, influence on tear test results, (2) 421
- Strain-crystallizing vulcanizates, time-dependent tearing of, (5) 913
- Stripwinding, for retreading (abstract), (1) 195
- Styrene block copolymers, viscoelastic properties, (5) 973
- Sulfenyl-transfer agents, for inhibiting premature vulcanization, (2) 284
- Supplier quality audits (abstract), (2) 463
- Systems approach, to design of elastomeric structures (abstract), (2) 455
- Tack, of copolymers of higher olefins (abstract), (4) 858
- and autohesion, of elastomers, contact time effects, (5) 1038
- Tearing, of carbon-black-filled vulcanizates, time-dependent, (5) 913
- , of elastomers, effect of stick-slip tearing and tear-tip diameter, (2) 421

- , —, unstable, (5) 924
- Temperature profile, during internal mixing cycles, (4) 751
- Tension fatigue testing, for evaluation of tire cord adhesion (abstract), (4) 868
- Test method rationalization, economics of (abstract), (1) 198
- Testing, of elastomers in aggressive environments (abstract), (4) 867
- Tetraethylorthosilicate, hydrolysis to precipitate silica filler *in situ* (abstract), (4) 864
- Tetrafluoroethylene-propylene copolymers, technological developments (abstract), (4) 860
- Thermoplastic elastomers, future of (abstract), (4) 866
- , overview (abstract), (4) 864
- , review (abstract), (4) 865
- Tire cord, material model for composites with rubber, (4) 830
- , adhesion (review), (3) 561
- , —, evaluation by tension fatigue testing (abstract), (4) 868
- Tire design, by use of finite element analysis (abstract), (2) 462
- Tire material, interaction with design, (2) 314
- Tire sidewalls, fatigue crack propagation, (4) 785
- Tire tread adhesive, water-based (abstract), (2) 453
- Tire tread rubber, model studies (abstract), (1) 201
- Tires, analysis of viscoelastic components using generalized cord and rubber properties, (2) 314
- , for mining, improved durability (abstract), (2) 451
- , for open pit *vs.* low seam mining (abstract), (2) 451
- , high performance, mechanism of antidegradant action in, (2) 269
- , —, reassessment of (abstract), (1) 200
- , maintenance for city delivery fleets (abstract), (2) 455
- , nondestructive evaluation (review), (3) 469
- , rolling resistance, role of viscoelastic properties (abstract), (1) 210
- Titanate coupling agents, developments (abstract), (1) 209; (4) 861
- Track pad elastomers, analysis of wear (abstract), (4) 862
- Transducers, for sonar, nitrile dampers for (abstract), (4) 863
- , from composite of polymer and piezoelectric ceramics (abstract), (4) 862
- Transfer molding, trouble-shooting rubber-to-metal bonding problems (abstract), (1) 215
- Transparency, optical, of elastomeric materials (abstract), (2) 456
- Tread rubber, influence of carbon black on hysteresis loss (abstract), (4) 859
- Treadwear performance, of NR truck tires, (4) 740
- 1,3,5-triazineamine derivatives, thio-substituted, for inhibiting premature vulcanization, (2) 284
- Trouble-shooting, in molded rubber products (abstract), (1) 214, 215, 216
- Truck tires, compounding for hot cap retread (abstract), (1) 191
- , effect of nonuniformities on ride (abstract), (2) 456
- , European design parameters (abstract), (2) 458
- , fleet testing (abstract), (2) 459
- , Fourier transforms in testing (abstract), (2) 456
- , heavy-duty, line-haul performance requirements (abstract), (2) 455
- , —, manufacturing control (abstract), (2) 457, 458
- , NR compounds for, (4) 740
- , radial, aramid reinforcement (abstract), (2) 458
- , retreading with precured treads (abstract), (1) 189
- , service requirements and future trends (abstract), (2) 457
- , use of NR/BR blends and carbon black, (2) 350
- Ultrasound, for nondestructive testing of tires (review), (3) 469
- V-belts, reinforced with polyester fibers (abstract), (1) 218
- Ventless molding, of rubber goods (abstract), (1) 187
- Vibration absorbers, from piezoelectric ceramic-polymer composites (abstract), (4) 862
- Vibration attenuation, interpenetrating polymer networks for (abstract), (4) 863
- Vibration isolation, with elastomers (abstract), (1) 183
- Viscoelastic properties, of pneumatic tires, as factor in rolling resistance (abstract), (1) 210

- , of rubber compounds, effect of carbon black structure (abstract), (4) 858
- , of styrene block polymers, (5) 973
- , of telechelic carboxylated rubber, (2) 223
- Viscoelastic series, for compound design (abstract), (1) 177
- Vulcanization, of epoxidized natural rubber (ENR) with sulfur, (2) 243
- , of rubber by heat and high pressure, (1) 12
- , premature, inhibiting, (2) 284
- Water distribution, use of rubber membranes (abstract), (2) 461, 467, 468
- Waterproofing membranes, from ethylene-propylene-diene rubbers (EPDM) (abstract), (2) 466
- Wear, of elastomers, analysis of field failures and laboratory simulation (abstract), (4) 862
- Wheel, for heavy duty trucks, effect of non-uniformities on ride (abstract), (2) 456
- Wiegand, William Bryan, International Rubber Science Hall of Fame, 1984, (2) G53
- Warranty liability, for rubber roofing systems (abstract), (2) 465
- X-ray, for nondestructive testing of tires (review), (3) 469

